

KENDRIYA VIDYALAYA SANGATHAN: HYDERABAD REGION  
PRE BOARD EXAMINATION - 1 (2024-25)

CLASS-X  
MATHEMATICS


MAX.MARKS:80  
MAX. TIME:3 hrs


**General Instructions:**

1. This Question Paper has 5 Sections A, B, C, D and E.
2. Section A has 20 MCQs carrying 1 mark each
3. Section B has 5 questions carrying 02 marks each.
4. Section C has 6 questions carrying 03 marks each.
5. Section D has 4 questions carrying 05 marks each.
6. Section E has 3 case based integrated units of assessment (04 marks each) with subparts of the values of 1, 1 and 2 marks each respectively.
7. All Questions are compulsory. However, an internal choice in 2 Qs of 5 marks, 2 Qs of 3marks and 2 Questions of 2 marks has been provided. An internal choice has been provided in the 2marks questions of Section E
8. Draw neat figures wherever required. Take  $\pi = \frac{22}{7}$  wherever not stated.



**Section -A**

Q.No.	Question	Marks
1	Express 98 as a product of its primes a) $2 \times 7^2$ b) $2^2 \times 7^2$ c) $2^2 \times 7$ d) $2^3 \times 7$	1
2	The zeroes of the polynomial $4x^2 - 12x + 9$ are (a) $\frac{3}{2}, \frac{3}{2}$ (b) $-\frac{3}{2}, -\frac{3}{2}$ (c) 3,4    (d))-3, -4	1
3	For a frequency distribution, mean , median and mode are connected by the relation (a) mode= 3 mean – 2 median    (b) mode = 2 median – 3 mean (c) mode = 3 median – 2 mean    (d) mode= 3 median + 2 mean	1
4	If a kite is flying at a height of $40\sqrt{3}$ m from the level ground, attached to a string inclined at $60^\circ$ to the horizontal then the length of string is (a) $80\sqrt{3}$ (b) $60\sqrt{3}$ (c)80    (d)12	1
5	The circumference of the edge of a hemispherical bowl is 132 cm. When $\pi$ is taken as $\frac{22}{7}$ , the radius of the hemisphere is (a) 21    (b) 42    (c) 2772    (d) none of these	1
6	The distance of the point P(a Cos $\theta$ , a Sin $\theta$ ) from the origin is (a) Cos $\theta$ (b) 1    (c) 2    (d) a	1
7	If the first three terms of an AP are $3p - 1$ , $3p + 5$ and $5p + 1$ respectively, then the value of $p$ is (a) 2    (b) 5    (c) 4    (d) -3	1
8	ABCD is a rectangle whose three vertices are B (4, 0), C(4, 3) and D(0, 3). The length of one of its diagonals is (a) 5    (b) 4    (c) 3    (d) 25	1
9	In the given figure, if AB $\parallel$ QR, the value of x = (a) 3 cm    (b) 4 cm    (c) 5 cm    (d) 6 cm	1




10	<p>In the given figure, PA and PB are tangents to the circle with centre O. If <math>\angle APB = 60^\circ</math>, then <math>\angle OAB</math> is</p> <p>(a) <math>30^\circ</math> (b) <math>60^\circ</math> (c) <math>90^\circ</math> (d) <math>15^\circ</math></p>		1														
11	<p>For the following distribution, the modal class is</p> <table border="1"><thead><tr><th>Marks</th><th>Below 10</th><th>Below 20</th><th>Below 30</th><th>Below 40</th><th>Below 50</th><th>Below 60</th></tr></thead><tbody><tr><th>No. of Students</th><td>3</td><td>12</td><td>27</td><td>57</td><td>75</td><td>80</td></tr></tbody></table> <p>(a) 10 – 20 (b) 20 – 30 (c) 30 – 40 (d) 50 – 60</p>	Marks	Below 10	Below 20	Below 30	Below 40	Below 50	Below 60	No. of Students	3	12	27	57	75	80		1
Marks	Below 10	Below 20	Below 30	Below 40	Below 50	Below 60											
No. of Students	3	12	27	57	75	80											
12	<p>HCF of 8, 9, 25 is</p> <p>(a) 8 (b) 9 (c) 25 (d) 1</p>		1														
13	<p>If in triangle ABC and DEF, <math>AB/DE = BC/EF</math>, then they will be similar when</p> <p>(a) <math>\angle B = \angle E</math> (b) <math>\angle A = \angle D</math> (c) <math>\angle B = \angle D</math> (d) <math>\angle A = \angle F</math></p>		1														
14	<p>A card is selected from a deck of 52 cards. The probability of being a red face card is</p> <p>(a) <math>3/26</math> (b) <math>6/26</math> (c) <math>6/13</math> (d) <math>3/13</math></p>		1														
15	<p>11. The point which divides the line segment of points P(-1, 7) and (4, -3) in the ratio of 2:3 is:</p> <p>(a) (-1, 3) (b) (-1, -3) (c) (1, -3) (d) (1, 3)</p>		1														
16	<p>If <math>\sqrt{3} \sin \theta - \cos \theta = 0</math> and <math>0^\circ &lt; \theta &lt; 90^\circ</math>, find the value of <math>\theta</math>.</p> <p>(a) <math>30^\circ</math> (b) <math>45^\circ</math> (c) <math>60^\circ</math> (d) <math>90^\circ</math></p>		1														
17	<p>If <math>HCF(16, y) = 8</math> and <math>LCM(16, y) = 48</math>, then the value of y is</p> <p>(a) 24 (b) 16 (c) 8 (d) 48</p>		1														
18	<p>If one root of the quadratic equation <math>2x^2 + kx - 6 = 0</math> is 2, then, the value of k - 1 is</p> <p>(a) 1 (b) -1 (c) 2 (d) -2</p>		1														
<p>In question numbers 19 and 20 a statement of assertion (A) is followed by a statement of Reason (R). Choose the correct option.</p> <p>(a). Both Assertion and Reason are correct and Reason is the correct explanation of Assertion.</p> <p>(b). Both Assertion and Reason are correct but Reason is not the correct explanation of Assertion.</p> <p>(c). Assertion is correct but Reason is incorrect.</p> <p>(d). Assertion is incorrect but Reason is correct</p>																	
19	<p><b>Assertion(A):</b> Two cubes each of volume <math>125 \text{ cm}^3</math> are joined end to end to form a Cuboid The surface area of the resulting cuboid is <math>250 \text{ cm}^2</math></p> <p><b>Reason(R):</b> If n cubes each of volume <math>a^3</math> cu. Units are joined end to end to form a Cuboid. Then the surface area of the resulting cuboid is <math>2(2n+1)a^2</math> square units</p>		1														
20	<p>Assertion:- If the radius of sector of a circle is reduced to its half and angle is doubled then the perimeter of the sector remains the same</p> <p>Reason :- The length of the arc subtending angle <math>\theta</math> at the centre of a circle of radius r = <math>\frac{\pi r \theta}{180}</math>.</p>		1														

### Section -B

21	A vertical pole of length 6 m casts a shadow 4 m long on the ground and at the same time, a tower casts a shadow 28 m long. Find the height of the tower.	2
22	<p>In the given figure, sectors of two concentric circles of radii 7 cm and 3.5 cm are given. Find the area of the shaded region. (Use <math>\pi = \frac{22}{7}</math>)</p>  <p style="text-align: center;"><b>OR</b></p> <p>A horse is placed for grazing inside a rectangular field 70 m by 52 m and is tethered to one corner by a rope 21 m long. On how much area can it graze?</p>	2
23	If $\tan(A + B) = \sqrt{3}$ and $\tan(A - B) = \frac{1}{\sqrt{3}}$ , $0 \leq A + B \leq 90^\circ$ and $A > B$ , then find A and B	2
24	<p>A quadrilateral ABCD is drawn to circumscribe a circle.</p>  <p>Prove that <math>AB + CD = AD + BC</math>.</p>	2
25	Find the zeroes of the quadratic polynomial $x^2 - 7x + 12$ and verify the relationship between the zeroes and the coefficients of the polynomial.	2

### Section -C

26	Prove that $\sqrt{7}$ is irrational	3
27	<p>In figure PA and PB are tangents to the circle drawn from an external point P. CD is the third tangent touching the circle at Q. If PA = 15 cm, find the perimeter of <math>\Delta PCD</math>.</p>  <p style="text-align: center;"><b>OR</b></p> <p>Two concentric circles are of radii 8 cm and 5 cm. Find the length of the chord of the larger circle which touches the smaller circle.</p>	3
28	If the 3rd and the 9th terms of an AP are 4 and - 8 respectively, which term of this AP is zero?	3
29	<p>Prove that <math>\frac{\sin \theta - \cos \theta + 1}{\sin \theta + \cos \theta - 1} = \sec \theta + \tan \theta</math></p> <p style="text-align: center;">(or)</p> <p>Evaluate : <math>\frac{5 \tan 60^\circ}{(\sin^2 60^\circ + \cos^2 60^\circ) \tan 30^\circ}</math></p>	3
30	Two dice are thrown at the simultaneously. Find the probability of getting (i) a doublet (ii) sum on two dice is less than 9 (iii) sum two dice is an even number.	3
31	Solve the following linear equations to find the value of x and y $47x + 31y = 63$ ; $31x + 47y = 15$	3


### Section –D

Section - D

32	<p>The median of the following data is 50. Find the values of <math>p</math> and <math>q</math>, if the sum of all frequencies is 90. Also find the mode.</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"><tr><td style="width: 25%;">Marks obtained</td><td style="width: 12.5%;">20-30</td><td style="width: 12.5%;">30-40</td><td style="width: 12.5%;">40-50</td><td style="width: 12.5%;">50-60</td><td style="width: 12.5%;">60-70</td><td style="width: 12.5%;">70-80</td><td style="width: 12.5%;">80-90</td></tr><tr><td>Number of students</td><td><math>p</math></td><td>15</td><td>25</td><td>20</td><td><math>q</math></td><td>8</td><td>10</td></tr></table>	Marks obtained	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Number of students	$p$	15	25	20	$q$	8	10	5
Marks obtained	20-30	30-40	40-50	50-60	60-70	70-80	80-90											
Number of students	$p$	15	25	20	$q$	8	10											
33	<p>Show that a line drawn parallel to one side of a triangle intersecting the other two sides in the distinct points then the other sides are divided in the same ratio.</p>	5																
34	<p>A rocket is in the form a right Circular Cylinder closed at the lower end and surmounted by a cone with same radius as that of cylinder. The diameter and height of the cylinder are 9 m and 15 m, respectively. If the slant height of the conical portion is the 7.5 m, find the total surface area and volume of the rocket.</p> <p style="text-align: center;">(OR)</p> <p>A vessel is in the form of a hollow hemisphere mounted by a hollow cylinder. The diameter of hemisphere is 12cm and the total height of vessel is 10 cm. Find the inner surface area and volume of the vessel.</p>	5																
35	<p>A passenger train takes 2 hours less for a journey of 300 km if its speed is increased by 5 km/hr from its usual speed. Find the usual speed of the train?</p>	5																

### Section –E

36	<p>Students of class X, Emma, Anna, Krish and Sahil gathered in the Library. On the Library notice board the positions of Some books are marked.</p> <p>Point A – Science Guide, Point B – Maths guide, Point C – Sanskrit guide, Point D – English guide and point E – History guide. Based on the information answer the following questions.</p> <div style="text-align: center;"> </div> <p>(i) How much distance does Emma has to walk to get the Science guide, if her starting point is (0,2) ? [1]</p> <p>(ii) How far apart are the English and Sanskrit guide ? [1]</p> <p>(iii) Find the distance between the location of Maths guide and Sahil's starting point (which is at origin). [2]</p> <p>(iv) Are the points D and E equidistant from A? [2]</p>	4
----	--	---

37	<p>Aditya is celebrating his birthday. He invited his friends. He bought a packet of toffees/candies which contains 120 candies. He arranges the candies such that in the first row there are 3 candies, in second there are 5 candies, in third there are 7 candies and so on.</p> <p>On the basis of the above information, answer any four of the following questions:</p> <ol style="list-style-type: none"> <li>1. Find the common difference of the AP.</li> <li>2. Find the number of candies placed in 7th row?</li> <li>3. Find the total number of rows of candies</li> </ol> <p>OR</p> <p>Find the difference in number of candies placed in 9th and 4th rows.</p>	4
38	<p>A person/observer on the sea coast observes two ships in the sea, both the ships are in same straight path one behind the other.</p> <p>If the observer is on his building of height 20 meters (including observer) and he observes the angle of depression of two ships as <math>45^\circ</math> and <math>60^\circ</math> respectively.</p>  <p>Based on above information answer the following questions.</p> <ol style="list-style-type: none"> <li>(i) If a person observes a ship whose angle of depression is <math>60^\circ</math> then how much distance is the ship away from him?</li> <li>(ii) If a person observes another ship whose angle of depression is <math>45^\circ</math> then how much distance that ship is away from him?</li> <li>(iii) If a person observes the ship whose angle of depression changes from <math>60^\circ</math> to <math>30^\circ</math> then how far be ship from the observer if the observer is at 20 m of height (including him)?</li> </ol> <p style="text-align: center;"><b>(OR)</b></p> <p>At a time when a person observes two ships whose angle of depressions are <math>60^\circ</math> and <math>45^\circ</math> the distance between the ships is (in meters).</p>	4